




www.lakotatrailers.com



unbridled confidence

All Aluminum Horse Trailers



WE UNDERSTAND YOUR LIFESTYLE

Every horse lifestyle has specific areas that focus on convenience, comfort and safety of owners and horses. Lakota has taken the time to understand the demands and details of the equestrian lifestyle to determine standard equipment that equals success for you and your equine partner.

Our aluminum quality, feature versatility, warranty and floorplans are equal to or surpass many brands of horse trailers. Lakota has studied horse ownership and trailer performance in the marketplace and has developed a strong trailer that will last for years to come.

confidence


Lakota's lightweight aluminum construction enhances fuel efficiency and towability. Tubular aluminum (instead of C-channel) in sidewalls makes our trailers 33% stronger than the horse industry standard. Because aluminum doesn't corrode like steel, your Lakota delivers long-term cost-effective performance, too. That's confidence!

innovation

Many features our competitors view as expensive options, we regard as essential. That's why we offer them as standard equipment. This results in standardized production runs, which are less costly than running essentials as options and charging an additional fee for each item. We choose to pass that savings along to you. It's just one more reason Lakota trailers are an outstanding value. Also, personalize your trailer with a variety of optional amenities.

assurance

Lakota offers peace of mind by backing every trailer with our exclusive 7/1 warranty. It guarantees the aluminum structure of your Lakota for seven years and provides one-year, hitch to bumper warranty for materials and workmanship. Travel with confidence and comfort while you transport your horses in style.



ONE OF THE STRONGEST FLOORS...

Our strong floor construction features our structural aluminum I-beams, interlocking decking, side and bottom rails, and premium rubber mat (see #1-5 details in list below). These quality components combine to build a floor structure that is **20% stronger than the industry standard.**

CONSTRUCTION STANDARDS

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. 4" x 2.66" 6061 T6 structural aluminum I-beams 16" OC 2. Interlocking tongue-and-groove flooring w/ 1/8" decking 3. 4.3" x 2" full length side rail 4. Bottom rail with .200" wall thickness attached using huck fasteners 5. Premium rubber mat in horse area 6. 1 1/2" x 2 1/2" Full aluminum tubular wall studs 7. Roof top rail w/ .150" wall thickness 8. 1" x 2 1/2" Crowned roof bows 9. Seamless one-piece aluminum roof 10. .050" Baked enamel white aluminum exterior skin 11. LED lights 12. #8 Mirror finish stainless steel nose cone 13. 2 5/16" Adjustable 20,000 lb coupler | <ol style="list-style-type: none"> 14. Rubber ride torsion axles 3500-7000 lb (varies by model) 15. Heavy duty aluminum gusset - 1/4" thickness 16. 15" or 16" Radial tires (varies by model) <p>60/40 Rear doors w/ 21" x 15" slider windows (slant loads)
 Electric brakes on all wheels
 Rear rubber bumper
 Tie back on all doors and exterior tie downs
 Safety breakaway switch with battery back up
 Pass-through door (slant load only)
 Manger (8' wide only)</p> <p>Removable, collapsible rear tack includes:
 saddle rack, bridle hangers, blanket bar,
 brush tray, and light (varies by model)
 Removable, padded head and shoulder dividers</p> |
|--|---|

POPULAR OPTIONS

- | | |
|---|---|
| <ul style="list-style-type: none"> 15" or 16" Stainless tire wheel cover (varies by model) Escape door (slant load only) Exterior slat – 2, 3, 4 horse (varies by model) Load lights Rear easy-lift ramp (slant load only) | <ul style="list-style-type: none"> 15" or 16" Spare tire (varies by model) Stone guard (bumper pulls only) Stud divider Electric jack (single leg only) |
|---|---|

LAKOTA

bumper pulls & gooseneck

HORSE STANDARDS/OPTIONS



When your lifestyle includes a horse, every ride is an adventure in freedom and mutual trust. Each step holds a magical blend of unsurpassed beauty, incredible power and a surge of pride. This remarkable relationship between human and animal is called love.

HORSE AREA STANDARDS

- 2 Interior tie downs per horse
- 48" Rubber lining on horse area walls
- Bridle hangers and blanket bar in rear tack room (slant load only)
- Brush trays mounted on rear tack door (slant load only)
- Drop-down feed windows w/ bars; one for each horse (slant load only)
- Escape doors (straight load only; varies by model)
- Folding rear tack area w/ removable wall, 1 saddle rack per horse w/ removable post (slant load only)
- Head and shoulder dividers w/ pads and slam latches (slant load only)
- Horse area walls lined and insulated

We understand this unique relationship and are committed to providing comfort and safety for your horse, easy operation and dependability for you, and terrific eye appeal at events. Visit www.lakotatrailers.com for complete details about Lakota and our products.

- Light in rear tack (slant load only)
- Lighted horse area
- Manger (8' slant load only)
- Padded breast and tail bars w/ Z-locks (straight load only)
- Padded tail and breast straps (slant load only)
- Pass-through door (slant gooseneck only)
- Pop-up aluminum roof vent (1 per horse)
- Removable head and shoulder dividers w/ pads
- Removable, collapsible rear tack room (slant load only)
- Rubber mat in horse area



Double butterfly aluminum latch



Disengage pins to easily remove walls



Padded bars / Z-lock



Recessed lighting



Spring-loaded easy-lift rubber padded ramp



Lakota's superior quality all-aluminum trailers are an outstanding value. Durability and dependability are built-in to give you a terrific feeling of confidence on and off the road and a safe, secure ride for your best friend.

HORSE AREA OPTIONS

- Additional blanket bar
- Additional bridle bar w/ hooks
- Additional brush tray
- Additional saddle tree
- Escape door
- Hayrack
- Horse area ceiling insulation, 3 or 4 horse
- Load light
- Stone guard (bumper pull only)
- Stud divider
- Telescoping saddle rack

DRESSING ROOMS & PREMIUM OPTIONS

DRESSING STANDARDS

- Blanket bar and 7 bridle hooks (slant load only)
- Camper door w/ screen
- Carpeted floor (slant load only)
- Lighted dressing room
- Removable saddle rack for each horse w/ removable post (slant load only)

PREMIUM OPTIONS

- Riser wall water tank – built-in system that adds 60 gallons of fresh water (goosenecks only)
- 40" Walk-through mid tack room – includes removable saddle rack, bridle hooks, exterior & interior access (slant load only)
- Wide stall expansion – adds 5" of width to all stalls & tack (2, 3, 4 horse slant)


Note: Dressing room not available on 2HSTBP; optional on all goosenecks; standard on the 2HSTGN4DR gooseneck and the 2HSTBPDR bumper pull.



Exterior storage (8' wide)



LED lights



Escape door



Drop-down feed windows



Rear tack room

Bumper pull

FLOORPLANS



LAKOTA GETS YOU THERE


It's more than a ride ... more than a feeling ... it's a way of life!

Lakota's economical bumper pull trailers can haul up to three horses and are the best option when you don't have open-bed hitch capabilities or if you want to leave your truck bed clear for storage. Choose straight or slant load styles. The nose of some models may also include a dressing room that can be used for storage.

The First Horse Utility Trailer




Our HUT is a truly innovative solution for every horse trailering activity. This 2 horse, slant load trailer is the first bumper pull with full living quarters, including a tip-out for full bed extension. The horse area includes a folding tack room. Or, if you choose, remove any rear dividers and utilize the space for strapping your supplies or utility equipment (such as a golf cart!). This portable HUT has it all and is perfect for shows and weekend trail riding.



2HSLBP11LQ


2 horse slant load w/ full living quarter, tip-out bed extension, folding rear tack. Specifications TBA

6' 9" Widths
2HSTBP




2 horse straight load w/ escape doors, open tack area, dressing room and rear ramp.
7,365 GVWR • 2,750 Ship Wt. • 365 Hitch Wt.
7,000 GAWR • 16' 3" Length w/ hitch

2HSTBPDR




2 horse straight load w/ escape doors, open tack area, dressing room and rear ramp.
7,560 GVWR • 3,380 Ship Wt. • 560 Hitch Wt.
7,000 GAWR • 17' 9" Length w/ hitch

2HSLBP



2 horse slant load w/ dressing room and rear tack area.
7,365 GVWR • 3,215 Ship Wt. • 365 Hitch Wt.
7,000 GAWR • 16' 3" Length w/ hitch

3HSLBP



3 horse slant load w/ rear tack area and dressing room.
10,000 GVWR • 3,975 Ship Wt. • 595 Hitch Wt.
10,400 GAWR • 19' 7" Length w/ hitch

gooseneck

FLOORPLANS

THE COMPETITIVE SPIRIT

Performance. Competition. Achievement.
No matter how you place, you both know you're winners.


Gooseneck trailers provide excellent towing stability and easy maneuverability when turning or parking. They have space to transport up to six horses and the nose area can be converted into living quarters that include sleeping, kitchen and bath facilities for you and your family. These models require an open-bed truck with a special fifth wheel hitching system.

Visit www.lakotatrailers.com for complete floorplan specifications.

Gooseneck models are 6'9" or 8' wide with short walls in 4', 6', 8', 10' or 12' lengths, depending on the model. See back page for a look at how our floorplan side walls grow. All but the 2HSTGN offer an optional living quarter conversion.

6' 9" Widths

2HSTGN4



2 horse straight load w/escape doors, middle tack area, rear ramp and dressing room. 8,200 GVWR • 4,310 Ship Wt.
1,245 Hitch Wt. • 7,000 GAWR • 22' 9" Length w/ hitch


8' Widths

82HSLGN8




2 horse slant load w/ rear tack area and large living quarter shell. 11,875 GVWR • 5,325 Ship Wt. • 1,475 Hitch Wt.
10,400 GAWR • 26' 10" Length w/ hitch

3HSLGN8




3 horse slant load w/ rear tack area and large living quarter shell. 13,125 GVWR • 5,200 Ship Wt. • 1,125 Hitch Wt.
12,000 GAWR • 29' 5" Length w/ hitch

83HSLGN8




3 horse slant load w/ rear tack area and large living quarter shell. 15,455 GVWR • 5,740 Ship Wt. • 1,455 Hitch Wt.
14,000 GAWR • 30' 2" Length w/ hitch

4HSLGN8



4 horse slant load w/ rear tack area and large living quarter shell. 13,385 GVWR • 6,230 Ship Wt. • 1,385 Hitch Wt.
12,000 GAWR • 32' 9" Length w/ hitch

84HSLGN8



4 horse slant load w/ rear tack area and large living quarter shell. 15,640 GVWR • 6,725 Ship Wt. • 1,640 Hitch Wt.
14,000 GAWR • 33' 6" Length w/ hitch



Warranty: 7 Years Structural and 1 Year Hitch to Bumper



Living quarters are available in all goosenecks and the new Lakota HUT (2HSLBP11LQ).

LAKOTA LIVING QUARTERS

If your horse lifestyle includes regular overnight travel, consider adding living quarters to your horse trailer. You'll appreciate Lakota's fully equipped kitchen, convenient bathroom and comfortable living/sleeping quarters. With our two-year warranty coverage on conversions, choice of floorplans, and three décor options, there's a Lakota that's right for you.

VISIT OUR WEBSITE

Be sure to visit our comprehensive, easy to maneuver website at www.lakotatrailers.com, which provides a wealth of information **About Lakota, Products and Owners Club**. In the main sections of the site are trailering and maintenance tips, warranty information, construction details and much more. In particular, be sure to check out the **Product Matcher and Buyer's Guide** sections of the site. It will help you determine which Lakota horse trailer is right for you and your horse's lifestyle. Click on **Build Your Own** to choose specific amenities that meet your needs and determine the MSRP (Manufacturer's Suggested Retail Price). If you desire more information, please contact us.

EXPANDABLE FLOORPLANS

Gooseneck models are 6'9" or 8' wide with short walls in 4', 6', 8', 10' or 12' lengths, depending on the model.



All specifications within this brochure are believed to be accurate at the time of publication. Due to constant product improvements, specifications, and component part modifications, standard and optional equipment are subject to change without notice or obligation.

